


Bevel Housing Low Voltage

Retrofit For Bevel Square Wall Wash Trim 9368



BL102-A-RT



HOUSING INFORMATION

APPLICATION:

For use with USAI Bevel Square low voltage wall wash trim in retrofit applications.

MATERIALS:

Housing: Fabricated of 20 ga. galvanized steel integral thru wire J-box, 2 in 2 out at min. 90°C, #12 AGW thru branch circuit wiring.

LAMP: (not included)

37W max. MR16 GU5.3.

MOUNTING:

Screw driven compression mount system.

VOLTAGE:

Specify 120V or 277V.

TRANSFORMER:

Low voltage solid state electronic.

Note: Due to transformer / dimmer match some dimmers may cause transformer hum.

Check with dimmer manufacturer for suitability.

SOCKET:

Porcelain construction with 18 ga., 250°C SF-2 sleeved leads. Sized for MR16 halogen 12V lamps. Bi-pin base GU5.3.

LISTINGS:

Dry/damp/wet for under covered ceiling.



IBEW union made.

CEILING CUT OUT:



3 5/8" x 3 5/8"

NOTES:

- Maximum ceiling thickness 1 inch. Consult factory for other ceiling conditions.


DIMENSIONS

Retrofit



COMPATIBLE TRIM

BEVEL
Wall Wash
9368



HOW TO SPECIFY

Housing - Voltage

